

Cigarette Smoking (School-Age)

Cigarette Smoking (School-Age)

- Most recent data (2012): 8% of King County youth attending public schools in the 8th, 10th and 12th grades.
- Trend over time: 2004-12: falling
- Description: Smoked cigarettes on one or more of the past 30 days

Cigarette smoking (school-age), King County, 2010 and 2012

	Percent	Lower CI	Upper CI
King County (school-age youth in 8th, 10th and 12th grades)	9	8	9
GRADE			
Grade 8	4	4	4
Grade 10	8	8	9
Grade 12	14	13	15
GENDER			
Male	10	9	11
Female	7	7	8
RACE/ETHNICITY			
AIAN	17	15	20
Asian	5	4	5
Black	10	8	11
Hispanic	10	9	11
Multiple	9	9	10
NHPI	14	12	16
White	9	8	10
Other	8	7	9
REGION			
East	8	7	9
North	9	7	11
Seattle	10	8	11
South	9	8	10

Comparisons:

- Higher than King County rate (yellow)
- Lower than King County rate (green)

Notes:

Source: Healthy Youth Survey.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Data by income or poverty level not available.

Cigarette smoking (school-age) King County, 2010 and 2012



Source: Healthy Youth Survey.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.

[-----] Confidence interval shows range that includes true value 95% of the time.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Data by income or poverty level not available.

Cigarette smoking (school-age) by comparison areas

The Healthy People 2020 Objective for cigarette smoking (school-age) is 16%.

	Latest Available Year	Percent	Lower CI	Upper CI
United States	2011	18	17	20
WA State	2012	7	7	8
King County	2012	8	7	9


Notes:

Source: Healthy Youth Survey.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.


CI is 95% Confidence Interval.

Cigarette smoking (school-age) by comparison areas




Source: Healthy Youth Survey.
Prepared by Public Health - Seattle & King County, APDE, 12/2014.
|-----| Confidence interval shows range that includes true value 95% of the time.

**Cigarette smoking (school-age) by regions
King County, 2010 and 2012**



Source: Healthy Youth Survey.
Prepared by Public Health - Seattle & King County, APDE, 12/2014.
N/A: Not available.

Cigarette smoking (school-age) King County, 2004-2012



Source: Healthy Youth Survey.
Prepared by Public Health - Seattle & King County, APDE, 12/2014.

Produced by the
[Assessment, Policy Development & Evaluation Unit](#)
[Public Health - Seattle & King County](#)
12/14

King County
Hospitals
for a **Healthier**
Community